

স্মারক নং- ৩২.০২.০০০০.০০৪.১৮.৩৩০.২২/৬১০

তারিখ: ১৫/০২/২০২২

কোটেশন বিজ্ঞপ্তি

বিষয়: RFQ পদ্ধতিতে সিসিটিভি ক্রয়ের কোটেশন আহ্বান প্রসঙ্গে।

২০২২-২০২৩ অর্থবছরে জাতীয় মহিলা সংস্থার রাজস্ব বাজেটের আওতায় নিম্নোক্ত বিবরণ ও স্পেসিফিকেশন অনুযায়ী **সিসিটিভি ও সংশ্লিষ্ট যন্ত্রপাতি** সরবরাহের নিমিত্তে বাংলাদেশের প্রকৃত ব্যবসায়ী/সরবরাহকারী প্রতিষ্ঠানের নিকট হতে নিজস্ব লেটার হেড প্যাডে (RFQ) পদ্ধতিতে কোটেশন আহ্বান করা যাচ্ছে:

Sl. No.	Item Name	Specification	Brand	Country Origin	Quantity	Warranty
01	4MP High Resolution PoE Dome IP Camera	Image Sensor: 1/3" Progressive Scan CMOS, Effective Pixels: 4MP, IR Distance: Up to 30 m, Others: Day & Night: IR Cut Filter, Angle of View: horizontal FOV: 83°, vertical FOV: 45°, diagonal FOV: 99°, Dimension: Φ 111 × 82.4 mm, Weight: 610 g, Power: 12 VDC ± 25%, PoE (802.3af, class 3), Interface: Φ 5.5 mm coaxial power plug 1 RJ45 10M/100M self-adaptive Ethernet port	To be mansion bidder	To be mansion bidder	5 pcs	1year
02	2MP High Resolution PoE Dome IP Camera	Image Sensor: 1/2.7" Progressive Scan CMOS, Effective Pixels: 2MP, IR Distance: Up to 30 m, Angle of View: horizontal FOV 112.1°, vertical FOV 60.0°, diagonal FOV 132.2°, Dimension: Φ 110 mm × 85.3 mm, Weight: 320 g, Power: 12 VDC ± 25% PoE: 802.3af, Class 3, Interface: Power Interface: Φ 5.5 mm coaxial power plug 1 RJ45 10 M/100 M self-adaptive Ethernet port	To be mansion bidder	To be mansion bidder	13 pcs	1year
03	4MP High Resolution PoE Bullet IP Camera	Image Sensor: 1/3" Progressive Scan CMOS Effective Pixels: 4MP, IR Distance: Up to 30 m, Day & Night: IR Cut Filter, Focal Length 4 mm, Aperture F1.6, Angle of View horizontal FOV: 83°, vertical FOV: 45°, diagonal FOV: 99°, Lens Mount: M12, Aperture Type: Fixed, Dimension Φ 111 × 82.4 mm, Weight 610 g, Power 12 VDC ± 25%, PoE (802.3af, class 3), Interface Φ 5.5 mm coaxial power plug 1 RJ45 10M/100M self-adaptive Ethernet port	To be mansion bidder	To be mansion bidder	5 pcs	1year
04	2MP High Resolution PoE Bullet IP Camera	Image Sensor: 1/2.8" Progressive Scan CMOS Effective Pixels 2MP, IR Distance Up to 30m, Weather Proof: IP67, Focal Length 4mm, Angle of View horizontal FOV 86°, vertical FOV 46°, diagonal FOV 102°, Dimension Φ 110 × 93.2 mm, Weight 360g, Power Supply: 12 VDC ± 25% PoE (802.3af Class 3), Power Consumption: 12VDC, 0.4A, Max. 5W, Interface, 1 RJ45 10M/100M self-adaptive Ethernet port	To be mansion bidder	To be mansion bidder	7 pcs	1year
05	32 Channels Network Video Recorder (NVR)	Type: 4K NVR Video Compression/Format: H.265/ H.265+/ H.264/ H.264+/ MPEG4 Video Output (VGA): 1920 x 1080/60Hz, 1280 x 1024/60Hz, 1280 x 720/60Hz, 1024 x 768/60Hz Video Output (HDMI): 4K (3840 x 2160)/30Hz, 2K (2560 x 1440)/60Hz, 1920 x 1080/60Hz, 1600 x 1200/60Hz, 1280 x 1024/60Hz, 1280 x 720/60Hz, 1024 x 768/60Hz Video Recording Resolution: 8MP, 6MP, 5MP, 4MP, 3MP, 1080P, UXGA, 720P, VGA, 4CIF,	To be mansion bidder	To be mansion bidder	1 pcs	1year


		DCIF, 2CIF, CIF, QCIF Max. Video Recording Resolution: 3840 x 2160 IP Video Input: 32 Channel Audio Output Channel: 1-channel, RCA (Linear, 1K omega), Two way Audio, 1-channel, RCA (2.0 Vp-p, 1K omega) Decoding Capability: 8-channel, 1080p (30fps) Network Protocol: TCP/IP, DHCP, Hik-Connect, DNS, DDNS, NTP, SADP, SMTP, NFS, iSCSI, UPnP, HTTPS Number HDD Interface (SATA): 2 SATA Max HDD Support (GB,TB) Up to 6TB capacity for each HDD, Max. Storage Support: 12TB Network Interface (RJ45): 1, RJ-45 10M/100M/1000M self-adaptive Ethernet interface USB Port: 1 x USB3.0, 1-x USB2.0 Incoming Bandwidth: 256 Mbps Outgoing Bandwidth: 160 Mbps				
06	PoE Switch 16 Ports	16 x Gigabit Ethernet PoE+ Ports, 32 Gb/s Bandwidth, Store-and-Forward Support, 76W PoE Power Budget, Link/Activity/Speed LED, Power Supply 90.00 W, PoE Power Budget: 76 W, PoE per Port: 30 W, Power Supply Type: External, Weight 0.88 kg, Type Gigabit Ethernet PoE+ Unmanaged Port 16 x 10/100/1000 Mb/s Gigabit Ethernet (RJ45) PoE+, Network Standard 802.3af, 802.3at, 802.3az, Data Transmission Rate 32 Gb/s, MAC Address Table 8K	To be mansion bidder	To be mansion bidder	1 pcs	1year
07	LAN Switch 8 Ports	08x Gigabit Ethernet PoE+ Ports, 16 Gb/s Bandwidth, Store-and-Forward Support, Link/Activity/Speed LED, Power Supply 45.00 W, Power Supply Type: External, Type Gigabit Ethernet Unmanaged Port 08x 10/100/1000 Mb/s Gigabit Ethernet (RJ45)	To be mansion bidder	To be mansion bidder	1 pcs	1year
08	PoE Switch 8 Ports	10 x Gigabit Ethernet PoE+ Ports, 16 Gb/s Bandwidth, Store-and-Forward Support, 38W PoE Power Budget, Link/Activity/Speed LED, Power Supply 45.00 W, PoE Power Budget: 38 W, PoE per Port: 15 W, Power Supply Type: External, Type Gigabit Ethernet PoE+ Unmanaged Port 10 x 10/100/1000 Mb/s Gigabit Ethernet (RJ45) PoE+, Network Standard 802.3af, 802.3at, 802.3az, Data Transmission Rate 32 Gb/s, MAC Address Table 8K	To be mansion bidder	To be mansion bidder	4 pcs	1year
09	4TB Hard Disk Drive	Capacity- 4 TB, RPM- 5400 Interface type- SATA 6 Gb/s Buffer size- 64 MB Idle Mode 25 (dBA)7 Interface type SATA 6 Gb/s Rotational speed IntelliPower * Seek Mode 0 26 (dBA)7	To be mansion bidder	To be mansion bidder	1 pcs	1year
10	Cat.6 RJ-45 Connector	Cat5e Gold Plated UTP Connector Pack Polycarbonate, 94V-2 50 micro-inch gold plating 50 micro inch Nickel plated Color: White, Brown	To be mansion bidder	To be mansion bidder	100 pcs	1year
11	6 Pin Socket with MK Box	Type: Electrical Plug Rated Voltage: 110V-250V Rated Current: 13A Application: Residential / General-Purpose Material: PC Fire Retardant Contact: Glossy White.	To be mansion bidder	To be mansion bidder	5 pcs	1year
12	UTP LAN Cable Cat-6 305 Meter Box	4-pair unshielded twisted pair (UTP) cable, wire 23 AWG solid copper conductor for superior conductivity, PE insulation, PE central cross FR PVC/LSZH Jacket, verified compliant with EIA/TIA standards by ETL, UL-listed, packaged in	To be mansion bidder	To be mansion bidder	4 box	1year

		an easy-to-pull box for easier installation, Conductor Meta, Bare Copper Insulation Material: HD-PE OD: 6mm $\hat{A}\pm 0.2$, Jacket hardness: 45P (90A) Heat-resistant: 75 degree C minimum (Temperature)				
13	Electric Cable 23/76 Twisted Pair	23/76 Two Core 0.65RM Flexible T/T PVC Insulated Non-Sheathed Twin Wire Twisted TT Copper Cord 2376	To be mansion bidder	To be mansion bidder	1 coil	1 year
14	Flexible, Cable Clip, Tape, Tie, Screw etc.	All fitting accessories including flexible, cable clip, tape, tie, screw etc. for entry system installation purpose	To be mansion bidder	To be mansion bidder	1 lot	1 year
15	Installation, testing and commissioning charge	NVR, camera, switch and other equipment should installation, testing and commissioning to site as per instruction of in charge	To be mansion bidder	To be mansion bidder	30 sets	1 year

এমতাবস্থায়, প্রকৃত ব্যবসায়ী/সরবাহকারী প্রতিষ্ঠানের নিকট হতে নিম্নবর্ণিত শর্তে অফিশিয়াল প্যাডে কোটেশন আহবান করা যাচ্ছে। **আগামী ২২/১২/২০২২ তারিখ দুপুর ১২:০০** ঘটিকার মধ্যে নিম্নস্বাক্ষরকারী বরাবর, ১৪৫, নিউ বেইলী রোডস্থ, জাতীয় মহিলা সংস্থা প্রধান কার্যালয় ভবনের ৫০৬ নং রুমের সম্মুখে রক্ষিত বক্সে টেন্ডার দাখিল করতে হবে। ঐ দিন বেলা ০২:০০ ঘটিকায় দরপত্র খোলা এবং মূল্যায়ন করা হবে।

শর্তাবলীঃ

- ১। আগ্রহী দরদাতা প্রতিষ্ঠানের কোটেশন বর্ণিত স্পেসিফিকেশন নিজস্ব হেড প্যাডে প্রতিটি আইটেমের দর অংকে উল্লেখ করতে হবে এবং আয়কর ও ভ্যাট যোগ করে সর্বমোট দর কথায় ও অংকে উল্লেখ করতে হবে।
- ২। দরপত্রে অবশ্যই দরপত্র দাখিলকারীর স্বাক্ষরসহ পূর্ণ নাম ও পূর্ণ ঠিকানা থাকতে হবে।
- ৩। দরপত্রের সাথে প্রতিষ্ঠানের হালনাগাদ ট্রেড লাইসেন্স, টিন ও ভ্যাট সনদের কপি দাখিল করতে হবে।
- ৪। আয়কর ও ভ্যাট সরবরাহকারী প্রতিষ্ঠান বহন করবে।
- ৫। কোটেশন অবশ্যই সীলগালা করা খামে এবং খামের উপর 'কোটেশন' শব্দটি এবং প্রাপক ও প্রেরকের পূর্ণ নাম ঠিকানা লিপিবদ্ধ করে দাখিল করতে হবে।
- ৬। কোটেশন উদ্ধৃত একক ও মোট দর স্পষ্টাক্ষরে লিখতে হবে। উদ্ধৃত দরের মধ্যে কোন প্রকার কাটাকাটি বা ওভার রাইটিং করা যাবে না।
- ৭। কার্যাদেশ প্রাপ্তির ১৪ (চৌদ্দ) দিনের মধ্যে মালামালসমূহ জাতীয় মহিলা সংস্থার প্রধান কার্যালয়, ১৪৫ নিউ বেইলী রোড, ঢাকা সরবরাহ করতে হবে। সরবরাহকৃত মালামালে ত্রুটি/বিচ্যুতি পরিলক্ষিত হলে ত্রুটিমুক্ত মালামাল সরবরাহ করতে বাধ্য থাকবে।
- ৮। সরবরাহকারী প্রতিষ্ঠান কর্তৃক সিসিটিভি সংক্রান্ত সকল ডিভাইসের ১ (এক) বছরের ফ্রি সার্ভিস প্রদান করতে হবে।
- ৯। দরপত্র আহবানকারী কর্তৃপক্ষ কোন কারণ দর্শানো ব্যতিরেকে দরপত্র গ্রহণ/বাতিল করার ক্ষমতা সংরক্ষণ করেন।


 (সৈয়দা মেহেরুন মেহা কবীর)
 পরিচালক (উপসচিব)
 জাতীয় মহিলা সংস্থা

কোটেশন বিজ্ঞপ্তি প্রকাশের স্থান:

- ১। বাংলাদেশ সচিবালয়ের ১নং গেটের নোটিশবোর্ড।
- ২। প্রধান হিসাবরক্ষণ কর্মকর্তার কার্যালয়ের নোটিশ বোর্ড, মশিবিম, সেগুন বাগিচা।
- ৩। জাতীয় মহিলা সংস্থার প্রধান কার্যালয়ের নোটিশ বোর্ড এবং ওয়েবসাইট।
- ৪। প্রকল্প অফিসসমূহের নোটিশ বোর্ড, জাতীয় মহিলা সংস্থা।
- ৫। মহিলা বিষয়ক অধিদপ্তর নোটিশ বোর্ড।
- ৬। প্রেসক্লাবের নোটিশ বোর্ড।